


# ECCOSORB® FS-NRL

## FLAT ABSORBER

### Description:


Eccosorb FS is a low-cost solid flat-sheet foam absorber which is available in various thicknesses and conductivities. Basically it is a uniform carbon-impregnated flexible foam material which can be easily glued together to suit various locations and applications.

The NRL suffix refers to its compliance with the fire retardancy requirements of the U.S. Naval Research Laboratory (NRL) test 8093.



### Application:

Typically ECCOSORB FS is used in Antenna, RCS and EW anechoic chambers to cover corners and difficult to cover areas. The optimal layout depends on the precise chamber dimensions and test configuration.



### Physical Properties:

	FS-NRL
Standard	Blue
Base size (cm)	61 x 61
Max. Service Temperature(°C )	90
Power Handling	1.5 kW/m <sup>2</sup>
Fire Retardancy	NRL8093 Tests 1, 2 & 3, DIN 4102 Class B2, ISO 11925-2


Emerson & Cuming Microwave Products N.V.  
Nijverheidsstraat 7A - B-2260 Westerlo - Belgium  
Tel: +32 14 56 25 00 – Fax: +33 14 56 25 01  
sales@eu.eccosorb.com – www.eccosorb.com



# ECCOSORB® FS-NRL

## FLAT ABSORBER

### Nominal dimensions of ECCOSORB FS-NRL:



	Total height A (cm)
FS-50-NRL	5
FS-100-NRL	10
FS-150-NRL	15
FS-200-NRL	20

### Availability:

ECCOSORB FS is available in different grades according to performance and base thickness of the pyramidal absorber that is combined with the FS absorber. ECCOSORB FS-NRL is a black material. The surfaces are painted with a fire retardant light blue paint. On special order, other colours, such as white, can be made available, or the pieces can be left unpainted.

### Instructions for use:

The absorber can be mounted on surfaces in various ways: by the use of our contact adhesive ECCOSTOCK 13111, Velcro fasteners or Z-bars. In case of Velcro fasteners the absorber panels are provided with Velcro on the back. In case of Z-bars the absorber panels are delivered glued to a supporting plate with hooks. The material is designed for indoor use only.



**Safety Considerations:** It is recommended to consult the EMERSON & CUMING MICROWAVE PRODUCTS product literature, including material safety data sheets, prior to use EMERSON & CUMING MICROWAVE PRODUCTS products. These may be obtained from your local sales office.

**WARRANTY:** Values shown are based on testing of laboratory test specimens and represent data that falls within the normal range of properties of the material. These values are not intended for use in establishing maximum, minimum or ranges of values for specification purposes. Any determination of the suitability of the material or any use contemplated by the user and the manner of such use is the sole responsibility of the user who must assure that the material as subsequently processed meets the needs of this particular product or use.

We hope the information given here will be helpful. It is based on data and knowledge considered to be true and accurate and is offered for the user's consideration, investigation and verification but we do not warrant the results to be obtained. Please read all statements, recommendations or suggestions in conjunction with our conditions of sale INCLUDING THOSE LIMITING WARRANTIES AND REMEDIES which apply to all goods supplied by us. We assume no responsibility for the use of these statements, recommendations or suggestions nor do we intend them as a recommendation for any use which would infringe any patent or copyright.

2007/12 - V01/1

Emerson & Cuming Microwave Products N.V., Nijverheidsstraat 7A, B-2260 Westerlo, Belgium.

ECCOSORB, ECCOSTOCK, ECCOSHIELD, ECCOLENS, ECCOPAD are registered trademarks of EMERSON & CUMING MICROWAVE PRODUCTS N.V.